

### UNITED STA ... IT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FIL	ING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/500,259 06/25/2004		6/25/2004	Paul M. Lindberg	104497-423-PCT(US)	8922
75	590	11/13/2006	. *	EXAM	INER
Goodwin Proc	eter			LE, DA	NG D
103 Eisenhowe Roseland, NJ		ay	•	ART UNIT	PAPER NUMBER
Roseland, 145	0,000			2834	
		,		DATE MAILED: 11/13/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
		10/500,259	LINDBERG ET AL.
	Office Action Summary	Examiner	Art Unit
		Dang D. Le	2834
Period fo	The MAILING DATE of this communication app	ears on the cover sheet with the	e correspondence address
A SH WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DA SIX (6) MONTHS from the mailing date of this communication. Depriod for reply is specified above, the maximum statutory period v re to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  ATE OF THIS COMMUNICA	ON.  e timely filed  om the mailing date of this communication.  NED (35 U.S.C. § 133).
Status			
2a)⊠	Responsive to communication(s) filed on <u>22 At</u> This action is <b>FINAL</b> . 2b) This Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, p	
Disposit	ion of Claims		
5)⊠ 6)⊠ 7)□	Claim(s) 1-19 and 21-23 is/are pending in the at 4a) Of the above claim(s) is/are withdraw Claim(s) 21 and 23 is/are allowed.  Claim(s) 1-19 and 22 is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/or	vn from consideration.	
Applicat	ion Papers		
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine	epted or b) objected to by th drawing(s) be held in abeyance. S ion is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).
Priority (	under 35 U.S.C. § 119		
a)	Acknowledgment is made of a claim for foreign  All b) Some * c) None of:  1. Certified copies of the priority document:  2. Certified copies of the priority document:  3. Copies of the certified copies of the priority document:  application from the International Bureau  See the attached detailed Office action for a list	s have been received. s have been received in Applic rity documents have been rece u (PCT Rule 17.2(a)).	ation No sived in this National Stage
	nt(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)	4)	
3) Infor	mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date		al Patent Application

Art Unit: 2834

# **DETAILED ACTION**

# Response to Arguments

1. Applicant's arguments filed 8/22/06 have been fully considered but they are not persuasive.

Regarding claim 1 and Mielke reference, because claim 1 is amended to indicate that the second bearing surface layer is in the form of the sleeve, the rejection of claim 1 as being anticipated by Mielke is overcame.

Regarding claim 18 and Mielke reference, it is noted that although Mielke shows the working gap (17), the coil former must still be axially-moving supported by the disk 7 so that it is in moving contact with the disk 7. The bearing surface in the art of this type of motor is similar to Hallidy with the bearing surfaces shown in Figure 2 (65-68). As a result, the rejection of claim 18 as being anticipated by Mielke is still deemed proper.

Regarding claim 8, the rejection of claim 18 as being anticipated by Mielke is still deemed proper for the same reason given to claim 18 above.

Regarding claim 22, because the claim is open ended and the sleeve can be provided to fit over the entire inner circumference surface of the cylindrical magnet, the rejection of claim 22 as being anticipated by Hallidy is still deemed proper.

# Claim Objections

2. Claims 1 and 13 are objected to because of the following informalities:

Page 3

Application/Control Number: 10/500,259

Art Unit: 2834

Claim 1, line 12, before "assembly structured", insert -- said second motor assembly structured --. (It seems that the word "said" at the end of line 11 was mistakenly deleted by the amendment.)

Claim 13, line 1, replace "A magnetic motor" with -- The magnetic motor of
 claim 1 --. Appropriate correction is required.

# Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless ~

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claim 22 is rejected under 35 U.S.C. 102(b) as being anticipated by Hallidy (5,734,209).

Regarding claim 22, Hallidy shows a method of making a magnetic shaft comprising the steps of:

- Providing a stack comprising a plurality of discrete magnets (20-23, Figure 2)
   having an initial stack diameter;
- Providing a sleeve (62) having a magnetic permeability greater than 2.0; and
- Assembling the stack and the sleeve to form a shaft.
- 5. Claims 1-3 and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Brende et al. (4,439,699).

Regarding claim 1, Brende et al. shows a magnetic motor (Figure 2) comprising:

- A first motor assembly (37) comprising:

Art Unit: 2834

A first bearing surface layer (inner circumferential surface of 37), and a first magnet (35 - does not have to be permanent magnet), fixed with respect to the first bearing surface layer, structured to generate a first magnetic field; and

- A second motor assembly (10) comprising:
- A second magnet (18), and a second bearing surface layer (outer circumferential surface of 14 between walls 16) in the form of the sleeve, located so that at least a portion of the second bearing surface layer is in contact with at least a portion of the first bearing surface layer, with the second bearing surface layer comprising a material that has relative magnetic permeability of x, wherein x is greater than 2.0,
- Said second motor assembly structured to generate a second magnetic field defined by at least said second magnet (flux lines in Figure 2) and said second bearing surface layer, with the first and second motor assemblies being structured so that forces caused by the interaction of the first and second magnetic fields will cause the first motor assembly and the second motor assembly to move relative to each other, and with the first and second bearing surface layers being in moving contact to at least partially guide the relative motion of the first and second motor assemblies.

Regarding claim 2, Brende et al. also shows the motor being high thrust.

Regarding claims 3 and 7, it is noted that Brende et al. also shows x being greater than 100 (core 50 made of steel).

Art Unit: 2834

6. Claims 8-10 and 18 are rejected under 35 U.S.C. 102(b) as being anticipated by Mielke (6,157,100).

Regarding claim 8, Mielke shows a magnetic motor (Figure 3) comprising:

- A first motor assembly (17) comprising:
- A first bearing surface layer (surface of 19), and a first magnet (14a), fixed with respect to the first bearing surface layer, structured to generate a first magnetic field; and
- A second motor assembly (6) comprising:
- A second bearing surface layer (surface of 7), located so that at least a portion of the second bearing surface layer is in contact with at least a portion of the first bearing surface layer, with the second bearing surface layer comprising a material that has relative magnetic permeability of x, wherein x is greater than 2.0 (soft magnetic material), and
- A second magnet (6), fixed with respect to the second bearing surface layer, structured to generate a second magnetic field, with the first and second motor assemblies being structured so that forces caused by the interaction of the first and second magnetic fields will cause the first motor assembly and the second motor assembly to move relative (left-right) to each other, and with the first and second bearing surface layers being in moving contact to at least partially guide the relative motion of the first and second motor assemblies.

Art Unit: 2834

It is noted that Mielke also shows second bearing surface layer (surface of 7) having a magnetic permeability, saturation characteristic (made of soft magnetic), shape (of a disk) and location (axially within the coil 16) so that at least a portion (circumferential surface) of the second bearing surface layer is magnetically saturated by a magnetic field of the second magnet.

Regarding claims 9 and 10, Mielke also shows the unsaturated portion being the center of the soft magnetic disk (7) and the saturated and unsaturated portions being located in the vicinity of the second magnet (16).

Regarding claim 18, the claim is similar to claim 8 except that it recites the second bearing surface layer being anisotropic in its magnetic permeability. It is noted that Mielke also shows the second bearing surface layer being anisotropic in its magnetic permeability (axial field of (7) being different with radial field).

# Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

Art Unit: 2834

not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

9. Claims 4-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brende et al. in view of Trench (3,149,255).

Regarding claim 4, Brende et al. shows all of the limitations of the claimed invention including the first motor assembly being a stator; the first bearing surface layer comprising a bushing; the first magnet being an electromagnet such that the first magnetic field can be selectively controlled; the second motor assembly comprise at least one permanent magnet except for the shaft; the second bearing surface layer being located over at least a portion of the shaft; and the second magnet located within the shaft.

For the purpose of transmitting output power externally, Trench shows the shaft (24); the second bearing surface layer (surface of pole 18) being located over at least a portion of the shaft; and the second magnet (17) located within the shaft.

Since Brende et al. and Trench are all from the same field of endeavor; the purpose disclosed by one inventor would have been recognized in the pertinent art of the others.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to include the shaft as taught by Trench for the purpose discussed above.

Art Unit: 2834

Regarding claim 5, it is noted that Brende et al. also shows a doubly salient (poles formed on left and right) motor.

Regarding claim 6, it is noted that Trench also shows the shaft comprises: a plurality of annular permanent magnets (17); a plurality of pole pieces (18), with the magnets and the pole pieces being assembled in an alternating manner (Figure 1); and a sleeve (19) disposed at least partially around the alternating magnets and pole pieces (not claimed "entirely"), with the sleeve comprising an outer major surface, and the second bearing surface layer (surface of poles 18) being located at least partially along the outer major surface of the sleeve.

10. Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brende et al. in view of Nanba et al.

Regarding claims 13 and 14, Brende et al. shows all of the limitations of the claimed invention except for x being greater than 500 Gauss or residual magnetization being greater than 1000 Gauss.

Nanba et al. shows x (magnet 61 used as bearing surface) being greater than 500 Gauss or residual magnetization being greater than 1000 Gauss for the purpose of increasing magnetic field strength.

Since Brende et al. and Nanba et al. are all from the same field of endeavor; the purpose disclosed by one inventor would have been recognized in the pertinent art of the others.

Art Unit: 2834

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to use x greater than 500 Gauss or residual magnetization greater than 1000 Gauss as taught by Nanba et al. for the purpose discussed above.

11. Claims 11, 12, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brende et al. in view of Trench (3,149,255).

Regarding claims 11 and 19, Brende et al. shows all of the limitations of the claimed invention including the first motor assembly being a stator; the first bearing surface layer comprising a bushing; the first magnet being an electromagnet such that the first magnetic field can be selectively controlled; the second motor assembly comprise at least one permanent magnet except for the shaft; the second bearing surface layer being located over at least a portion of the shaft; and the second magnet located within the shaft.

For the purpose of transmitting output power externally, Trench shows the shaft (24); the second bearing surface layer (surface of pole 18) being located over at least a portion of the shaft; and the second magnet (17) located within the shaft.

Since Brende et al. and Trench are all from the same field of endeavor; the purpose disclosed by one inventor would have been recognized in the pertinent art of the others.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to include the shaft as taught by Trench for the purpose discussed above.

Art Unit: 2834

Regarding claim 12, it is noted that Mielke also shows the unsaturated and saturated portions, which are the center and surface of the disk (7), respectively.

12. Claims 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brende et al. in view of Nanba et al. and further in view of Trench (3,149,255).

Regarding claim 15, the machine of Brende et al. modified by Nanba et al. includes all of the limitations of the claimed invention including the first motor assembly being a stator; the first bearing surface layer comprising a bushing; the first magnet being an electromagnet such that the first magnetic field can be selectively controlled; the second motor assembly comprise at least one permanent magnet except for the shaft; the second bearing surface layer being located over at least a portion of the shaft; and the second magnet located within the shaft.

For the purpose of transmitting output power externally, Trench shows the shaft (24); the second bearing surface layer (surface of pole 18) being located over at least a portion of the shaft; and the second magnet (17) located within the shaft.

Since Brende et al., Nanba et al., and Trench are all from the same field of endeavor; the purpose disclosed by one inventor would have been recognized in the pertinent art of the others.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to include the shaft as taught by Trench for the purpose discussed above.

Regarding claims 16 and 17, it is noted that Brenda et al. and Trench also shows motor being doubly salient motor and the shaft comprising: a plurality of annular

Art Unit: 2834

permanent magnets (17); a plurality of pole pieces (18), with the magnets and the pole pieces being assembled in an alternating manner (Figure 1); and a sleeve (19) disposed at least partially around the alternating magnets and pole pieces (not claimed "entirely"), with the sleeve comprising an outer major surface, and the second bearing surface layer (surface of poles 18) being located at least partially along the outer major surface of the sleeve.

# Allowable Subject Matter

13. Claims 21 and 23 are allowed.

### Conclusion

14. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

# Information on How to Contact USPTO

Page 12

Application/Control Number: 10/500,259

Art Unit: 2834

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dang D. Le whose telephone number is (571) 272-2027. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on (571) 272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Sang Lle

11/5/06

DANG LE BY EXAMINER

# Notice of References Cited Application/Control No. 10/500,259 Applicant(s)/Patent Under Reexamination LINDBERG ET AL. Examiner Dang D. Le 2834 Art Unit Page 1 of 1

## **U.S. PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	Α	US-4,439,699	03-1984	Brende et al.	310/13
	В	US-			
	С	US-			
	D	US-			
	E	US-			
	F	US-			
-	G	US-			
	Н	US-			
	1	US-			
	J	US-			·
	к	US-			
	L	US-			
	М	US-			

## FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	Q					
	R					
	S					
	Т					

### **NON-PATENT DOCUMENTS**

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	υ	
	٧	
	w .	
	×	

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

